

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2568	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L2	8617	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L3	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L4	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L5	284	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L6	147	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L7	6	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L8	22	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L9	16	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L10	1509	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L11	111	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37

L12	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L13	20	redundant near prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L14	2568	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L15	8617	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L16	147	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L17	22	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L18	1509	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L19	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L20	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L21	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L22	6	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L23	16	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37

L24	111	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L25	284	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L26	2568	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L27	8617	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L28	147	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L29	22	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L30	1509	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L31	2568	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L32	8617	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L33	147	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L34	22	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L35	1509	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37

L36	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L37	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L38	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L39	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L40	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L41	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L42	6	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L43	16	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory)))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L44	111	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L45	20	redundant near prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L46	6	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37

L47	16	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not ((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L48	111	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L49	9	("5822788" "99" "6055622" "89" "4888679" "89" "5752037" "89" "6311260" "89" "5941981" "86" "5694568" "86" "5761706" "76" "6055621" "76").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L50	284	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
L51	284	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/06 14:37
S1	2113	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S2	7254	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S3	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/10 15:53
S4	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 14:15
S5	230	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 09:27
S6	117	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 09:28

S7	5	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 09:32
S8	15	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 10:00
S9	10	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 09:34
S10	1189	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 10:01
S11	86	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/16 10:01
S12	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/17 15:34
S37	17	redundant near prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 14:15
S38	2251	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S39	7670	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S40	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S41	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S42	245	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29

S43	125	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S44	5	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S45	19	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S46	14	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S47	1278	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S48	91	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S49	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/20 16:29
S50	2396	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S51	8088	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S52	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S53	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S54	258	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10

S55	133	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S56	5	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S57	21	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S58	16	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S59	1383	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S60	100	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S61	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S62	17	redundant near prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S63	2396	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S64	8088	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S65	133	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and mark\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S66	21	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10

S67	1383	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S68	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S69	1	"20030088863".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S70	1	"5704053".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S71	5	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S72	16	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near2 (data reference memory))) not (((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (mark\$3 near (reference memory))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S73	100	717/151-161.ccls. and (prefetch (pre adj fetch))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S74	258	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:10
S75	9	("5822788" "99" "6055622" "89" "4888679" "89" "5752037" "89" "6311260" "89" "5941981" "86" "5694568" "86" "5761706" "76" "6055621" "76").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:11